

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2020	300000018411	Date of first issue: 20.02.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: Vaseline, white
Product code	: 000000005316420000
Substance name	: Petrolatum; Petrolatum
CAS-No.	: 8009-03-8
Index-No.	: 649-254-00-X
EC-No.	: 232-373-2
INCI	: PETROLATUM

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Cosmetics Intermediate, for:, Pharmaceutical
-----------------------------------	---

ACCORDING TO EU LEGISLATION A SAFETY DATA SHEET IT IS NOT REQUIRED FOR THIS PRODUCT

1.3 Details of the supplier of the safety data sheet

Company	: Biesterfeld Spezialchemie GmbH Ferdinandstrasse 41 20095 Hamburg Germany
E-mail address of person responsible for the SDS	: sds-inquiry@biesterfeld.com

1.4 Emergency telephone number

National Poisons Information Centre (NPIC), Beaumont Hospital
Emergency telephone number :Healthcare Professionals: +353 (01) 809 2566. (24 hour service)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)
Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)
Not a hazardous substance or mixture.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2020	300000018411	Date of first issue: 20.02.2020

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name	:	Petrolatum; Petrolatum
Index-No.	:	649-254-00-X
EC-No.	:	232-373-2

Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)
Substances with a workplace exposure limit :		
Petrolatum; Petrolatum	8009-03-8 232-373-2	>= 90 - <= 100

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	First Aid responders should pay attention to self-protection and use the recommended protective clothing Move out of dangerous area. If symptoms persist, call a physician. Never give anything by mouth to an unconscious person.
If inhaled	:	Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Protect unharmed eye. Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	:	Nausea Discomfort Dizziness Vomiting
Risks	:	There are at present no indications to acute dangers for the health.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2020	300000018411	Date of first issue: 20.02.2020

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Hazardous combustion products : See section 10.

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Ensure adequate ventilation.
Refer to section 15 for specific national regulation.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.
Sweep up and shovel.
Keep in suitable, closed containers for disposal.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2020	300000018411	Date of first issue: 20.02.2020

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : No special handling advice required.
- Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
- Hygiene measures : General industrial hygiene practice. Handle in accordance with good industrial hygiene and safety practice. When using do not eat, drink or smoke. Do not breathe dust. Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of workday. Store personal protection equipment in a clean location away from the work area.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

- Specific use(s) : see chapter 1

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Petrolatum; Petrolatum	8009-03-8	OELV - 8 hrs (TWA) (inhalable fraction)	5 mg/m ³	IE OEL
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit value should be used			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Petrolatum; Petrolatum	Workers	Inhalation	Long-term systemic effects	2.73 mg/m ³
	Workers	Skin contact	Long-term systemic effects	5.81 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.74 mg/kg bw/day

8.2 Exposure controls

Personal protective equipment

- Eye protection : Safety glasses with side-shields conforming to EN166

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2020	300000018411	Date of first issue: 20.02.2020

Hand protection

Material : Fluorinated rubber

Material : Chloroprene

Material : Nitrile rubber

Remarks : The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature). The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Protective suit

Respiratory protection : No personal respiratory protective equipment normally required.
In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Wax like

Colour : off-white

Odour : odourless

Odour Threshold : Not relevant

pH : No data available

Solidification / Setting point : ca. 45 - 60 °C

Boiling point/boiling range : 360 - 732 °C

Flash point : 210 °C

Upper explosion limit / Upper flammability limit : No data available

Vaseline, white



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2020	300000018411	Date of first issue: 20.02.2020

Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	< 0.01 hPa (20 °C)
Relative vapour density	:	No data available
Density	:	0.94 g/cm ³
Solubility(ies)		
Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	7.5 - 10 mm ² /s (100 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	Not applicable

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapour/air-mixtures are explosive at intense warming.

10.4 Conditions to avoid

Conditions to avoid : Exposure to light.
Heat, flames and sparks.
To avoid thermal decomposition, do not overheat.

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2020	300000018411	Date of first issue: 20.02.2020

10.6 Hazardous decomposition products

Heating or fire can release toxic gas.
 Heating can release vapours which can be ignited.
 Carbon monoxide
 Carbon dioxide (CO₂)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Read across
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 Dermal (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402 Remarks: Read across

Components:

Petrolatum; Petrolatum:

Acute oral toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Read across
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 Dermal (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402 Remarks: Read across

Skin corrosion/irritation

Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Read across
Remarks	:	Thermal decomposition can lead to release of irritating gases and vapours.

Components:

Petrolatum; Petrolatum:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2020	300000018411	Date of first issue: 20.02.2020

Remarks : Read across

Remarks : Thermal decomposition can lead to release of irritating gases and vapours.

Serious eye damage/eye irritation

Product:

Species : Rabbit
 Method : OECD Test Guideline 405
 Result : No eye irritation
 Remarks : Read across

Remarks : Thermal decomposition can lead to release of irritating gases and vapours.

Components:

Petrolatum; Petrolatum:

Species : Rabbit
 Method : OECD Test Guideline 405
 Result : No eye irritation
 Remarks : Read across

Remarks : Thermal decomposition can lead to release of irritating gases and vapours.

Respiratory or skin sensitisation

Product:

Exposure routes : Dermal
 Species : Guinea pig
 Method : OECD Test Guideline 406
 Result : negative

Components:

Petrolatum; Petrolatum:

Exposure routes : Dermal
 Species : Guinea pig
 Method : OECD Test Guideline 406
 Result : negative

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Test Type: reverse mutation assay
 Method: OECD Test Guideline 471
 Result: negative
 Remarks: Read across

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Vaseline, white



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2020	300000018411	Date of first issue: 20.02.2020

Species: Mouse (male and female)
 Method: OECD Test Guideline 474
 Result: negative
 Remarks: Read across

Components:

Petrolatum; Petrolatum:

Genotoxicity in vitro	:	Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative Remarks: Read across
Genotoxicity in vivo	:	Test Type: In vivo micronucleus test Species: Mouse (male and female) Method: OECD Test Guideline 474 Result: negative Remarks: Read across

Carcinogenicity

Product:

Species	:	Rat, male and female
Application Route	:	Oral
Method	:	OECD Test Guideline 451
Result	:	negative
Carcinogenicity - Assessment	:	Classified based on the conditions cited in Nota N (Regulation (EC) 1272/2008, Annex VI, Part 3, Note N)

Components:

Petrolatum; Petrolatum:

Species	:	Rat, male and female
Application Route	:	Oral
Method	:	OECD Test Guideline 451
Result	:	negative
Carcinogenicity - Assessment	:	Classified based on the conditions cited in Nota N (Regulation (EC) 1272/2008, Annex VI, Part 3, Note N)

Reproductive toxicity

Product:

Effects on fertility	:	Species: Rat, male and female Application Route: Oral Method: OECD Test Guideline 421 Result: Not classified Remarks: Read across
Effects on foetal development	:	Species: Rat Application Route: Dermal

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2020	300000018411	Date of first issue: 20.02.2020

Method: OECD Test Guideline 414
Result: Not classified
Remarks: Read across

Components:

Petrolatum; Petrolatum:

Effects on fertility : Species: Rat, male and female
Application Route: Oral
Method: OECD Test Guideline 421
Result: Not classified
Remarks: Read across

Effects on foetal development : Species: Rat
Application Route: Dermal
Method: OECD Test Guideline 414
Result: Not classified
Remarks: Read across

STOT - single exposure

Product:

Remarks : No data available

Components:

Petrolatum; Petrolatum:

Remarks : No data available

STOT - repeated exposure

Product:

Remarks : No data available

Components:

Petrolatum; Petrolatum:

Remarks : No data available

Repeated dose toxicity

Product:

Species : Rat, male and female
NOAEL : 5000 mg/kg
Application Route : Oral
Method : OECD Test Guideline 453

Components:

Petrolatum; Petrolatum:

Species : Rat, male and female

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2020	300000018411	Date of first issue: 20.02.2020

NOAEL	:	5000 mg/kg
Application Route	:	Oral
Method	:	OECD Test Guideline 453

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l End point: mortality Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 Remarks: Read across LL50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l End point: mortality Remarks: QSAR
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 10,000 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 Remarks: Read across LL50 (Daphnia magna (Water flea)): > 1,000 mg/l End point: Immobilization Exposure time: 48 h Remarks: QSAR
Toxicity to algae/aquatic plants	:	NOEL (Pseudokirchneriella subcapitata (algae)): >= 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 Remarks: Read across EL50 (Pseudokirchneriella subcapitata (algae)): > 1,000 mg/l Exposure time: 72 h Remarks: QSAR
Toxicity to fish (Chronic toxicity)	:	NOEL: >= 1,000 mg/l End point: mortality Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout) Remarks: QSAR
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEL: >= 1,000 mg/l End point: Reproduction Exposure time: 21 d Species: Daphnia magna (Water flea) Remarks: QSAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2020	300000018411	Date of first issue: 20.02.2020

Toxicity to microorganisms : LL50 (*Tetrahymena pyriformis*): > 1,000 mg/l
 End point: Growth rate
 Exposure time: 40 h
 Remarks: QSAR

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Components:

Petrolatum; Petrolatum:

Toxicity to fish : LL50 (*Pimephales promelas* (fathead minnow)): > 100 mg/l
 End point: mortality
 Exposure time: 96 h
 Test Type: static test
 Method: OECD Test Guideline 203
 Remarks: Read across

LL50 (*Oncorhynchus mykiss* (rainbow trout)): > 1,000 mg/l
 End point: mortality
 Remarks: QSAR

Toxicity to daphnia and other aquatic invertebrates : EL50 (*Daphnia magna* (Water flea)): > 10,000 mg/l
 End point: Immobilization
 Exposure time: 48 h
 Test Type: static test
 Method: OECD Test Guideline 202
 Remarks: Read across

LL50 (*Daphnia magna* (Water flea)): > 1,000 mg/l
 End point: Immobilization
 Exposure time: 48 h
 Remarks: QSAR

Toxicity to algae/aquatic plants : NOEL (*Pseudokirchneriella subcapitata* (algae)): >= 100 mg/l
 Exposure time: 72 h
 Test Type: static test
 Method: OECD Test Guideline 201
 Remarks: Read across

EL50 (*Pseudokirchneriella subcapitata* (algae)): > 1,000 mg/l
 Exposure time: 72 h
 Remarks: QSAR

Toxicity to microorganisms : LL50 (*Tetrahymena pyriformis*): > 1,000 mg/l
 End point: Growth rate
 Exposure time: 40 h
 Remarks: QSAR

Toxicity to fish (Chronic toxicity) : NOEL: >= 1,000 mg/l
 End point: mortality

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2020	300000018411	Date of first issue: 20.02.2020

Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)
Remarks: QSAR

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEL: $\geq 1,000$ mg/l
End point: Reproduction
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: QSAR

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

12.2 Persistence and degradability

Product:

Biodegradability : Result: Not rapidly biodegradable
Biodegradation: 31.13 %
Exposure time: 28 d
Remarks: Read across

Components:

Petrolatum; Petrolatum:

Biodegradability : Result: Not rapidly biodegradable
Biodegradation: 31.13 %
Exposure time: 28 d
Remarks: Read across

12.3 Bioaccumulative potential

Components:

Petrolatum; Petrolatum:

Partition coefficient: n-octanol/water : Remarks: No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2020	300000018411	Date of first issue: 20.02.2020

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- | | | |
|------------------------|---|---|
| Product | : | Do not dispose of with domestic refuse.
Offer surplus and non-recyclable solutions to a licensed disposal company. |
| Contaminated packaging | : | Empty remaining contents.
Empty containers should be taken to an approved waste handling site for recycling or disposal. |

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- | | | |
|---|---|----------------|
| International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors | : | Not applicable |
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). | : | Not applicable |
| REACH - List of substances subject to authorisation (Annex XIV) | : | Not applicable |
| Regulation (EC) No 1005/2009 on substances that deplete the ozone layer | : | Not applicable |
| Regulation (EC) No 850/2004 on persistent organic pollutants | : | Not applicable |

Vaseline, white



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2020	300000018411	Date of first issue: 20.02.2020

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Petrolatum; Petrolatum (Number on list 28)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Not applicable

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of other abbreviations

IE OEL : Ireland. List of Chemical Agents and Occupational Exposure Limit Values - Schedule 1

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International

Vaseline, white



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2020	300000018411	Date of first issue: 20.02.2020

Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : The specifications are based on information by upstream suppliers.
Safety data sheets by various manufacturers.

ECHA Information on Registered Substances.
<http://apps.echa.europa.eu/registered/registered-sub.aspx>
ECHA Classification and Labelling - echa.europa.eu/de/view-article/-/journal_content/07005f81-abf1-4081-973b-6c7c526c39df

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN